| umbe | r: <u> </u> | 1572 | ,O2-+ | | CRF Edite | Processing | Date: | / |
|--------------------|----------------------------------|-----------------------------|------------------------------|--------------------------------------|----------------------------------|----------------------------|---------------------|---|
| | ed a file from r | non-ASCII to | ASCII | | | fied by: | 715 | STIC sta |
| Chang | ed the margins | s in cases wh | here the sequ | ence text was | "wrapped" dov | vn to the n | ext line. | # |
| Edited | a format error | in the Curre | nt Application | Data section, | specifically: | EN | TEC | |
| | | | | n the actual cu | | The numb | er inputte | d by the |
| Added | the mandatory | y heading an | nd subheading | s for "Current | Application Da | ıta". | | |
| Edited | the "Number o | of Sequence: | s" field. The a | ipplicant spelle | ed out a numbe | er instead (| of using ar | integer. |
| Chang | ed the spelling | of a manda | tory field (the | headings or su | ıbheadings), s | pecifically: | | |
| Correc | ted the SEQ II | O NO when o | obviously inco | rrect. The seq | uence numbe | rs that wer | e edited w | ere: |
| nserte | d or corrected | a nucleic nu | ımber at the e | nd of a nucleic | line. SEQ ID | NO's edit | ed: | |
| Correct applica | ted subheadin int placed a re | g placement sponse belov | . All response w the subhead | es must be on t ding, this was r | the same line moved to its ap | as each su opropriate (| bheading. olace. | If the |
| Insert | ed colons after | headings/su | ubheadings. H | leadings edite | d included: | | | * · · · · · · · · · · · · · · · · · · · |
| Delete | ed extra, invalic | d, headings ι | used by an ap | plicant, specific | cally: | | | |
| | | | | ning/end of file invalid text, su | | tary initials | filename a | at end of file |
| Inser | ed mandatory | headings, sp | oecifically: | | | | | |
| Corre | cted an obviou | s error in the | e response, sp | pecifically: | | | | |
| Edite | d identifiers wh | ere upper ca | ase is used bu | t lower case is | required, or v | rice versa. | | , |
| Corre | cted an error in | n the Numbe | er of Sequence | es field, specifi | cally: | | | |
| A "Ha | rd Page Break | " code was i | inserted by the | e applicant. Al | l occurrences | had to be | deleted. | |
| | | | | iences and adj | | | eld accordi | ingly (error |
| | : | | | | | | | |

*Examiner: The above corrections must be communicated to the applicant in the first Office

Action. DO NOT send a copy of this form.

3/1/95

RAW SEQUENCE LISTING PATENT APPLICATION US/08/572,027

DATE: 02/13/96 TIME: 15:44:12

INPUT SET: S8732.raw

This Raw Listing contains the General Information Section and up to the first 5 pages.

Deas Not Comply 1 SEQUENCE LISTING 2 3 (1) General Information: 4 5 (i) APPLICANT: DeBonte, L. et al. 6 7 (ii) TITLE OF INVENTION: PLANTS HAVING MUTANT SEQUENCES THAT CONFER 8 ALTERED FATTY ACID PROFILES 9 10 (iii) NUMBER OF SEQUENCES: 8 11 (iv) CORRESPONDENCE ADDRESS: 12 (A) ADDRESSEE: Fish & Richardson, P.C., P.A. 1.3 (B) STREET: 60 South Sixth Street, Suite 3300 14 15 (C) CITY: Minneapolis 16 (D) STATE: MN (E) COUNTRY: USA 17 (F) ZIP: 55402 18 19 20 (V) COMPUTER READABLE FORM: 2.1 (A) MEDIUM TYPE: Floppy disk 22 (B) COMPUTER: IBM PC compatible (C) OPERATING SYSTEM: PC-DOS/MS-DOS 2.3 24 (D) SOFTWARE: PatentIn Release #1.0, Version #1.30 2.5 26 (vi) CURRENT APPLICATION DATA: 27 (A) APPLICATION NUMBER: US 08/416,497 --> 28 (B) FILING DATE: 04-APR-1995 29 (C) CLASSIFICATION: 30 31 (vi) PRIOR APPLICATION DATA: 32 (A) APPLICATION NUMBER: US 08/170,886 33 (B) FILING DATE: 21-DEC-1993 34 (C) CLASSIFICATION: 35 36 (vi) PRIOR APPLICATION DATA: 37 (A) APPLICATION NUMBER: US 07/739,965 38 (B) FILING DATE: 05-AUG-1991 39 (C) CLASSIFICATION: 40 41 (vi) PRIOR APPLICATION DATA: 42 (A) APPLICATION NUMBER: US 07/575,542 43 (B) FILING DATE: 30-AUG-1990 44 (C) CLASSIFICATION: 45 (viii) ATTORNEY/AGENT INFORMATION: 46

RAW SEQUENCE LISTING PATENT APPLICATION US/08/572,027

•

INPUT SET: S8732.raw

DATE: 02/13/96 TIME: 15:44:15

| | | | | | | | | | | | | | | 11 | NPUT | SET: S | 88732.raw |
|----|---------------------------------|------|-------|-------|-------|-------|-------|-------|-------|------|-------|------|-----|-----|------|--------|-----------|
| 47 | | | (. | A) N. | AME: | Ell | inge | r, M | ark | s. | | | | | | | |
| 48 | (B) REGISTRATION NUMBER: 34,812 | | | | | | | | | | | | | | | | |
| 49 | | | (| C) R | EFER | ENCE | /DOC | KET : | NUMB | ER: | A21- | 535. | 10 | | | | |
| 50 | | | | | | | | | | | | | | | | | |
| 51 | | (ix |) TE | LECO | MMUN | ICAT | ION | INFO | RMAT | ION: | | | | | | | |
| 52 | | | (. | A) T | ELEP! | HONE | : 61 | 2/33 | 5-50 | 70 | | | | | | | |
| 53 | | | (| B) T | ELEF. | AX: | 612/ | 288- | 9696 | | | | | | | | |
| 54 | | | | | | | | | | | | | | | | | |
| 55 | (2) | INF | ORMA | TION | FOR | SEQ | ID : | NO:1 | : | | | | | | | | |
| 56 | | | | | | | | | | | | | | | | | |
| 57 | | (i |) SE | QUEN | CE C | HARA | CTER | ISTI | cs: | | | | | | | | |
| 58 | | | (. | A) L | ENGT | H: 1. | 155 | base | pai | rs | | | | | | | |
| 59 | | | (| в) т | YPE: | nuc | leic | aci | ď | | | | | | | | |
| 60 | | | (| c) s' | TRAN | DEDN | ESS: | sin | gle | | | | | | | | |
| 61 | | | | | OPOL | | | | _ | | | | | | | | |
| 62 | | | | | | | | | | | | | | | | | |
| 63 | | (ii |) MO | LECU | LE T | YPE: | DNA | | | | | | | | | | |
| 64 | | | | | | | | | | | | | | | | | |
| 65 | | (iii |) HY | РОТН | ETIC | AL: 1 | NO | | | | | | | | | | |
| 66 | | • | • | | | | | | | | | | | | | | |
| 67 | | (iv |) AN' | TI-S | ENSE | : NO | | | | | | | | | | | |
| 68 | | , | • | | | | | | | | | | | | | | |
| 69 | | (vi | OR | IGINA | AL S | ourci | E: | | | | | | | | | | |
| 70 | | • | · (, | A) OI | RGAN: | ISM: | Bra | ssic | a na | pus | | | | | | | |
| 71 | | | , | • | | | | | | - | | | | | | | |
| 72 | | (ix |) FE. | ATURI | Ε: | | | | | | | | | | | | |
| 73 | | ` | , C | D) O | THER | INF | ORMA' | TION | : Wi | ld t | vpe : | D fo | rm. | | | | |
| 74 | | | • | , | | | | | | • | 1. | | | | | | |
| 75 | | | | | | | | | | | | | | | | | |
| 76 | | (xi |) SE | OUEN | CE DI | ESCR | IPTI | on: | SEQ : | ID N | 0:1: | | | | | | |
| 77 | | • | • | ~ | | | | | - | | | | | | | | |
| 78 | ATG | GGT | GCA | GGT | GGA | AGA | ATG | CAA | GTG | TCT | CCT | CCC | TCC | AAG | AAG | TCT | 48 |
| 79 | | | | | Gly | | | | | | | | | | | | |
| 80 | 1 | - | | • | 5 | _ | | | | 10 | | | | • | 15 | | |
| 81 | | | | | | | | | | | | | | | | | |
| 82 | GAA | ACC | GAC | ACC | ATC | AAG | CGC | GTA | CCC | TGC | GAG | ACA | CCG | CCC | TTC | ACT | 96 |
| 83 | Glu | Thr | Asp | Thr | Ile | Lys | Arg | Val | Pro | Cys | Glu | Thr | Pro | Pro | Phe | Thr | |
| 84 | | | • | 20 | | - | _ | | 25 | - | | | | 30 | | | |
| 85 | | | | | | | | | | | | | | | | | |
| 86 | GTC | GGA | GAA | CTC | AAG | AAA | GCA | ATC | CCA | CCG | CAC | TGT | TTC | AAA | CGC | TCG | 144 |
| 87 | Val | Gly | Glu | Leu | Lys | Lys | Ala | Ile | Pro | Pro | His | Cys | Phe | Lys | Arq | Ser | |
| 88 | | - | 35 | | - | _ | | | | | | _ | 4.5 | _ | | | |
| 89 | | | | | | | | | | | | | | | | | |
| 90 | ATC | CCT | CGC | TCT | TTC | TCC | TAC | CTC | ATC | TGG | GAC | ATC | ATC | ATA | GCC | TCC | 192 |
| 91 | Ile | Pro | Arq | Ser | Phe | Ser | Tyr | Leu | Ile | Trp | Asp | Ile | Ile | Ile | Ala | Ser | |
| 92 | | 50 | , | | | | 55 | | | * | - | 60 | | | | | |
| 93 | | | | | | | | | | | | | | | | | |
| 94 | TGC | TTC | TAC | TAC | NTC | GCC | ACC | ACT | TAC | TTC | CCT | CTC | CTC | CCT | CAC | CCT | 240 |
| 95 | | | | | Xaa | | | | | | | | | | | | |
| 96 | 65 | | _ | - | | 70 | | | 4 | | 75 | | | | | 80 | |
| 97 | | | | | | | | | | | | | | | | | |
| 98 | CTC | TCC | TAC | TTC | GCC | TGG | CCT | CTC | TAC | TGG | GCC | TGC | CAA | GGG | TGC | GTC | 288 |
| 99 | | | | | Ala | | | | | | | | | | | | |
| | | | 4 | | | | | | 4 - | - | | 4 | | - 4 | 4 | _ | |

RAW SEQUENCE LISTING PATENT APPLICATION US/08/572,027

DATE: 02/13/96 TIME: 15:44:17

| 100 | | | 85 | | | | 90 | | | | IN | <i>PUT</i> 95 | SET: S | 8732.ran | w |
|---------------------------------|--|--|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|------------------|--------|----------|-----|
| 101 102 103 104 | | | TGG Trp | | | | | | | | | | | 3 | 336 |
| 105 106 107 108 | | | TGG Trp | | | | | | | | | | | 3 | 384 |
| 109 110 111 112 113 | | | CCT Pro | | | | | | | | | | | 4 | 132 |
| 114 115 116 117 | | | GGC Gly | | | | | | | | | | | 4 | 180 |
| 118 119 120 121 | | | ATC Ile 165 | | | | | | | | | | | 5 | 528 |
| 122 123 124 125 | | | ATG Met | | | | | | | | | | | 5 | 576 |
| 126 127 128 129 | | | AAC Asn | | | | | | | | | | | 6 | 524 |
| 130 131 132 133 | | | CCC Pro | | | | | | | | | | | 6 | 572 |
| 134 135 136 137 | | | TCC Ser | | | | | | | | | | | 7 | 720 |
| 138 139 140 141 | | | GCC Ala 245 | Gly | Gln | Val | Ala | Ser | Met | Val | Cys | | | 7 | 768 |
| 142 143 144 145 | | | CTG Leu | | | | | | | | | | | 8 | 316 |
| 146 147 148 149 | | | CAT His | | | | | | | | | | | 8 | 364 |
| 150 151 152 | | | GGA Gly | | | | | | | | | | | 9 | 912 |

RAW SEQUENCE LISTING PATENT APPLICATION US/08/572,027

DATE: 02/13/96 TIME: 15:44:20

| IND | m | CET. | S8732 | POLICE |
|-------|-----|---------|-------|--------|
| #/V#* | / F | Nr. 1 : | 30/32 | mw |

| | | | | | | | | | | | | | | II | VIOI | SE I : | 30/32 | .ruw |
|---|------------------------|-------------------------|--|--|---|---|---|--|---------------------------------------|-----------------------------|----------------------------------|------------------------|--------------------|-------------------------|--------------------------------|--------------------|-------|------|
| 153 154 | TTG | AAC | AAG | GTC | TTC | CAC | AAT | ATT | ACC | GAC | ACG | CAC | GTG | GCC | CAT | CAT | | 960 |
| 155 | Leu | Asn | Lys | Val | Phe | His | Asn | Ile | Thr | Asp | Thr | His | Val | Ala | His | His | | |
| 156 | 305 | | - | | | 310 | | | | - | 315 | | | | | 320 | | |
| 157 | | | | | | | | | | | | | | | | | | |
| 158 | CCG | TTC | TCC | ACG | ΔTG | CCG | САТ | тат | CAC | GCG | ATG | GAA | GCT | ACC | AAG | GCG | | 1008 |
| 159 | | | | Thr | | | | | | | | | | | | | | |
| 160 | 110 | 1110 | 501 | 1111 | 325 | 110 | 1115 | - y - | 1110 | 330 | 1100 | 014 | 1110 | **** | 335 | **** | | |
| | | | | | 323 | | | | | 330 | | | | | 333 | | | |
| 161 | | | aaa | | аша | aa . | a.a | m a m | m » m | a.a | mma | a s m | 999 | 3.00 | 000 | ama | | 1056 |
| 162 | | | | ATA | | | | | | | | | | | | | | 1056 |
| 163 | TTE | ràs | Pro | Ile | Leu | GTA | GIU | тyr | _ | GIN | Pne | Asp | СТА | | PIO | var | | |
| 164 | | | | 340 | | | | | 345 | | | | | 350 | | | | |
| 165 | | | | | | | | | | | | | | | | | | |
| 166 | | | | ATG | | | | | | | | | | | | | | 1104 |
| 167 | Val | Lys | Ala | Met | Trp | Arg | Glu | Ala | Lys | Glu | Cys | Ile | Tyr | Val | Glu | Pro | | |
| 168 | | | 355 | | | | | 360 | | | | | 365 | | | | | |
| 169 | | | | | | | | | | | | | | | | | | |
| 170 | GAC | AGG | CAA | GGT | GAG | AAG | AAA | GGT | GTG | TTC | TGG | TAC | AAC | AAT | AAG | TTA | T | 1153 |
| 171 | Asp | Arg | Gln | Gly | Glu | Lys | Lys | Gly | Val | Phe | Trp | Tyr | Asn | Asn | Lys | Leu | | |
| 172 | - | 370 | | | | | 375 | | | | | 380 | | | | | | |
| 173 | | | | | | | | | | | | | | | | | | |
| 174 | GA | | | | | | | | | | | | | | | | | 1155 |
| 175 | | | | | | | | | | | | | | | | | | |
| 176 | | | | | | | | | | | | | | | | | | |
| 177 | (2) | INF | ORMA' | rion | FOR | SEO | ID I | NO:2 | : | | | | | | | | | |
| 178 | (- / | | | | | L | | | - | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | (i) 9 | SEOUE | ENCE | CHAR | RACTI | RES | rics | : | | | | | | | | |
| 179 | | | (i) S | SEQUI | | | | | | | 3 | | | | | | | |
| 179 180 | | | (i) £ | (A) | LE1 | NGTH: | 384 | am: | ino a | | 5 | | | | | | | |
| 179 180 181 | | | (i) £ | (A) | LEI TYI | NGTH: | : 384 amino | am: | ino a id | | 5 | | | | | | | |
| 179 180 181 182 | | | (i) £ | (A) | LEI TYI | NGTH: | : 384 amino | am: | ino a id | | 5 | | | | | | | |
| 179 180 181 182 183 | | | | (A) (B) (D) |) LEI) TYI) TOI | NGTH: PE: 6 | : 384 amino GY: I | am: ac: linea | ino a id ar | | 5 | | | | | | | |
| 179 180 181 182 183 184 | | | | (A) |) LEI) TYI) TOI | NGTH: PE: 6 | : 384 amino GY: I | am: ac: linea | ino a id ar | | 5 | | | | | | | |
| 179 180 181 182 183 184 185 | | (: | ii) N | (A) (B) (D) |) LEI) TYI) TOI CULE | NGTH: PE: 8 POLOG TYPE | 384 amino GY: I | am: ac: linear | ino a id ar in | acids | | ? : | | | | | | |
| 179 180 181 182 183 184 185 | | (: | ii) N | (A) (B) (D) |) LEI) TYI) TOI CULE | NGTH: PE: 8 POLOG TYPE | 384 amino GY: I | am: ac: linear | ino a id ar in | acids | | 2: | | | | | | |
| 179 180 181 182 183 184 185 186 | Met | (: | ii) N ki) S | (A) (B) (D) MOLEC |) LEI) TYI) TOI CULE | NGTH: PE: 8 POLOG TYPE | : 384 amino GY:] E: pi | am: c ac: linea rote: | ino a id ar in | acids | NO:2 | | Ser | I.vs | I.vs | Ser | | |
| 179 180 181 182 183 184 185 186 187 | | (: | ii) N ki) S | (A) (B) (D) |) LEI) TYI) TOI CULE ENCE | NGTH: PE: 8 POLOG TYPE | : 384 amino GY:] E: pi | am: c ac: linea rote: | ino a id ar in | acids | NO:2 | | Ser | Lys | | Ser | | |
| 179 180 181 182 183 184 185 186 187 188 | Met 1 | (: | ii) N ki) S | (A) (B) (D) MOLEC |) LEI) TYI) TOI CULE | NGTH: PE: 8 POLOG TYPE | : 384 amino GY:] E: pi | am: c ac: linea rote: | ino a id ar in | acids | NO:2 | | Ser | Lys | Lys 15 | Ser | | |
| 179 180 181 182 183 184 185 186 187 188 189 | 1 | (: (: Gly | ii) N Ki) S Ala | (A) (B) (D) MOLEG |) LEI) TYI) TOI CULE ENCE Gly 5 | NGTH: PE: 6 POLOG TYPE DESG | : 384 amin GY:] E: pr CRIP | 4 am: o ac: linea rote: rote: Gln | ino a id ar in : SEQ | Q ID Ser 10 | NO:2 | Pro | | | 15 | | | |
| 179 180 181 182 183 184 185 186 187 188 189 190 | 1 | (: (: Gly | ii) N Ki) S Ala | (A) (B) (D) MOLEG |) LEI) TYI) TOI CULE ENCE Gly 5 | NGTH: PE: 6 POLOG TYPE DESG Arg | : 384 amin GY:] E: pr CRIP | 4 am: o ac: linea rote: rote: Gln | ino a id ar in SEÇ Val | Q ID Ser 10 | NO:2 | Pro | | Pro | 15 | | | |
| 179 180 181 182 183 184 185 186 187 188 189 190 191 | 1 | (: (: Gly | ii) N Ki) S Ala | (A) (B) (D) MOLEG |) LEI) TYI) TOI CULE ENCE Gly 5 | NGTH: PE: 6 POLOG TYPE DESG Arg | : 384 amin GY:] E: pr CRIP | 4 am: o ac: linea rote: rote: Gln | ino a id ar in : SEQ | Q ID Ser 10 | NO:2 | Pro | | | 15 | | | |
| 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 | l Glu | (; Gly Thr | ii) N ki) S Ala Asp | (A) (B) (D) MOLEO SEQUE Gly Thr 20 |) LEB) TYB) TOB CULE ENCE Gly 5 | NGTH: PE: 2 POLOG TYPE DESG Arg | 384 amino SY: I E: pr CRIPT Met | a ami o aci linea rote: rION Gln Val | ino a id ar in SEQ Val | Q ID Ser 10 Cys | NO:2 Pro Glu | Pro Thr | Pro | Pro 30 | 15 Phe | Thr | | |
| 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 | l Glu | (; Gly Thr | ii) N ki) S Ala Asp Glu | (A) (B) (D) MOLEG |) LEB) TYB) TOB CULE ENCE Gly 5 | NGTH: PE: 2 POLOG TYPE DESG Arg | 384 amino SY: I E: pr CRIPT Met | a amso acsilines rotes rion Gln Val | ino a id ar in SEQ Val | Q ID Ser 10 Cys | NO:2 Pro Glu | Pro Thr | Pro Phe | Pro 30 | 15 Phe | Thr | | |
| 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 | l Glu | (; Gly Thr | ii) N ki) S Ala Asp | (A) (B) (D) MOLEO SEQUE Gly Thr 20 |) LEB) TYB) TOB CULE ENCE Gly 5 | NGTH: PE: 2 POLOG TYPE DESG Arg | 384 amino SY: I E: pr CRIPT Met | a ami o aci linea rote: rION Gln Val | ino a id ar in SEQ Val | Q ID Ser 10 Cys | NO:2 Pro Glu | Pro Thr | Pro | Pro 30 | 15 Phe | Thr | | |
| 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 | l Glu Val | (; Gly Thr | ii) N ki) S Ala Asp Glu 35 | (A) (B) (D) MOLEO SEQUE Gly Thr 20 Leu | LEI TYI TOI CULE ENCE Gly 5 | NGTH: PE: 2 POLOG TYPE DESG Arg Lys | amino GY: I E: pr CRIPT Met Arg | a amade actions action | ino a id ar in SEG Val Pro 25 | Q ID Ser 10 Cys | NO:2 Pro Glu His | Pro Thr Cys | Pro Phe 45 | Pro 30 Lys | 15 Phe Arg | Thr Ser | | |
| 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 | l Glu Val | (; Gly Thr Gly | ii) N ki) S Ala Asp Glu 35 | (A) (B) (D) MOLEO SEQUE Gly Thr 20 | LEI TYI TOI CULE ENCE Gly 5 | NGTH: PE: 2 POLOG TYPE DESG Arg Lys | : 384 amino GY: 1 E: pr CRIPT Met Arg Ala | a amade actions action | ino a id ar in SEG Val Pro 25 | Q ID Ser 10 Cys | NO:2 Pro Glu His | Pro Thr Cys | Pro Phe 45 | Pro 30 Lys | 15 Phe Arg | Thr Ser | | |
| 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 | l Glu Val | (; Gly Thr | ii) N ki) S Ala Asp Glu 35 | (A) (B) (D) MOLEO SEQUE Gly Thr 20 Leu | LEI TYI TOI CULE ENCE Gly 5 | NGTH: PE: 2 POLOG TYPE DESG Arg Lys | amino GY: I E: pr CRIPT Met Arg | a amade actions action | ino a id ar in SEG Val Pro 25 | Q ID Ser 10 Cys | NO:2 Pro Glu His | Pro Thr Cys | Pro Phe 45 | Pro 30 Lys | 15 Phe Arg | Thr Ser | | |
| 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 | l Glu Val Ile | Gly Thr Gly Pro 50 | ii) N ki) S Ala Asp Glu 35 Arg | (A) (B) (D) MOLEO SEQUE Gly Thr 20 Leu Ser | LEI TYI TOI CULE ENCE Gly 5 Ile Lys | NGTH: PE: 2 POLOG TYPE DESG Arg Lys Lys Ser | amino GY: I E: pr CRIPT Met Arg Ala | a am: coac: linea rote: TION Gln Val Ile 40 Leu | ino a id ar in Val Pro 25 Pro | Q ID Ser 10 Cys Pro | NO:2 Pro Glu His | Pro Thr Cys Ile 60 | Pro Phe 45 | Pro 30 Lys Ile | 15 Phe Arg Ala | Thr Ser Ser | | |
| 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 | Glu Val Ile Cys | Gly Thr Gly Pro 50 | ii) N ki) S Ala Asp Glu 35 Arg | (A) (B) (D) MOLEO SEQUE Gly Thr 20 Leu | LEI TYI TOI CULE ENCE Gly 5 Ile Lys | NGTH: PE: 2 POLOG TYPE DESG Arg Lys Lys Ser | amino GY: I E: pr CRIPT Met Arg Ala | a am: coac: linea rote: TION Gln Val Ile 40 Leu | ino a id ar in Val Pro 25 Pro | Q ID Ser 10 Cys Pro | NO:2 Pro Glu His Asp | Pro Thr Cys Ile 60 | Pro Phe 45 | Pro 30 Lys Ile | 15 Phe Arg Ala | Thr Ser Ser | | |
| 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 | l Glu Val Ile | Gly Thr Gly Pro 50 | ii) N ki) S Ala Asp Glu 35 Arg | (A) (B) (D) MOLEO SEQUE Gly Thr 20 Leu Ser | LEI TYI TOI CULE ENCE Gly 5 Ile Lys | NGTH: PE: 2 POLOG TYPE DESG Arg Lys Lys Ser | amino GY: I E: pr CRIPT Met Arg Ala | a am: coac: linea rote: TION Gln Val Ile 40 Leu | ino a id ar in Val Pro 25 Pro | Q ID Ser 10 Cys Pro | NO:2 Pro Glu His | Pro Thr Cys Ile 60 | Pro Phe 45 | Pro 30 Lys Ile | 15 Phe Arg Ala | Thr Ser Ser | | |
| 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 | Glu Val Ile Cys 65 | Gly Thr Gly Pro 50 Phe | ii) Aki) S Ala Asp Glu 35 Arg | (A) (B) (D) MOLEO SEQUE Gly Thr 20 Leu Ser | LEI TYI TOI CULE ENCE Gly 5 Ile Lys | NGTH: PE: a POLOG TYPE DESG Arg Lys Lys Ser Ala 70 | amino GY: E: pr CRIPT Met Arg Ala Tyr 55 | a am: coac: linea rote: TION Gln Val Ile 40 Leu Thr | ino a id ar in SE(Val Pro 25 Pro Ile | Q ID Ser 10 Cys Pro Trp | NO:2 Pro Glu His Asp | Pro Thr Cys Ile 60 Leu | Pro Phe 45 Ile Leu | Pro 30 Lys Ile | 15 Phe Arg Ala His | Thr Ser Ser Pro 80 | | |
| 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 | Glu Val Ile Cys 65 | Gly Thr Gly Pro 50 Phe | ii) Aki) S Ala Asp Glu 35 Arg | (A) (B) (D) MOLEO SEQUE Gly Thr 20 Leu Ser | LEID TYIE TO | NGTH: PE: a POLOG TYPE DESG Arg Lys Lys Ser Ala 70 | amino GY: E: pr CRIPT Met Arg Ala Tyr 55 | a am: coac: linea rote: TION Gln Val Ile 40 Leu Thr | ino a id ar in SE(Val Pro 25 Pro Ile | 2 ID Ser 10 Cys Pro Trp Phe | NO:2 Pro Glu His Asp | Pro Thr Cys Ile 60 Leu | Pro Phe 45 Ile Leu | Pro 30 Lys Ile | 15 Phe Arg Ala His | Thr Ser Ser Pro 80 | | |
| 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 | Glu Val Ile Cys 65 | Gly Thr Gly Pro 50 Phe | ii) Aki) S Ala Asp Glu 35 Arg | (A) (B) (D) MOLEO SEQUE Gly Thr 20 Leu Ser | LEI TYI TOI CULE ENCE Gly 5 Ile Lys | NGTH: PE: a POLOG TYPE DESG Arg Lys Lys Ser Ala 70 | amino GY: E: pr CRIPT Met Arg Ala Tyr 55 | a am: coac: linea rote: TION Gln Val Ile 40 Leu Thr | ino a id ar in SE(Val Pro 25 Pro Ile | Q ID Ser 10 Cys Pro Trp | NO:2 Pro Glu His Asp | Pro Thr Cys Ile 60 Leu | Pro Phe 45 Ile Leu | Pro 30 Lys Ile | 15 Phe Arg Ala His | Thr Ser Ser Pro 80 | | |

RAW SEQUENCE LISTING PATENT APPLICATION US/08/572,027

DATE: 02/13/96 TIME: 15:44:23

INPUT SET: S8732.raw

| 206 207 208 | Leu | Thr | Gly | Val 100 | Trp | Val | Ile | Ala | His 105 | Glu | Cys | Gly | His | | Ala | |
|-------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| 209 210 211 | Ser | Asp | Tyr 115 | Gln | Trp | Leu | Asp | Asp 120 | Thr | Val | Gly | Leu | Ile 125 | Phe | His | Ser |
| 212 213 214 | Phe | Leu 130 | Leu | Val | Pro | Tyr | Phe 135 | Ser | Trp | Lys | Туr | Ser 140 | His | Arg | Ser | His |
| 215 216 217 | His 145 | Ser | Asn | Thr | Gly | Ser 150 | Leu | Glu | Arg | Asp | Glu 155 | Val | Phe | Val | Pro | Lys 160 |
| 218 219 220 | Lys | Lys | Ser | Asp | Ile 165 | Lys | Trp | Tyr | Gly | Lys 170 | Tyr | Leu | Asn | Asn | Pro 175 | Leu |
| 221 222 223 | Gly | Arg | Thr | Val 180 | Met | Leu | Thr | Val | Gln 185 | Phe | Thr | Leu | Gly | Trp 190 | Pro | Leu |
| 224 225 226 | Туr | Leu | Ala 195 | Phe | Asn | Val | Ser | Gly 200 | Arg | Pro | Tyr | Asp | Gly 205 | Gly | Phe | Arg |
| 227 228 229 | Cys | His 210 | Phe | His | Pro | Asn | Ala 215 | Pro | Ile | Tyr | Asn | Asp 220 | Arg | Glu | Arg | Leu |
| 230 231 232 | Gln 225 | Ile | Туr | Ile | Ser | Asp 230 | Ala | Gly | Ile | Leu | Ala 235 | Val | Cys | Tyr | Gly | Leu 240 |
| 233 234 235 | Phe | Arg | Tyr | Ala | Ala 245 | Gly | Gln | Gly | Val | Ala 250 | Ser | Met | Val | Cys | Phe 255 | Tyr |
| 236 237 238 | Gly | Val | Pro | Leu 260 | Leu | Ile | Val | Asn | Gly 265 | Phe | Leu | Val | Leu | Ile 270 | Thr | Tyr |
| 239 240 241 | Leu | Gln | His 275 | Thr | His | Pro | Ser | Leu 280 | Pro | His | Tyr | Asp | Ser 285 | Ser | Glu | Trp |
| 242 243 244 | Asp | Trp 290 | Phe | Arg | Gly | Ala | Leu 295 | Ala | Thr | Val | Asp | Arg 300 | Asp | Туr | Gly | Ile |
| 245 246 247 | Leu 305 | Asn | Lys | Val | Phe | His 310 | Asn | Ile | Thr | Asp | Thr 315 | His | Val | Ala | His | His 320 |
| 248 249 250 | Pro | Phe | Ser | Thr | Met 325 | Pro | His | Tyr | His | Ala 330 | Met | Glu | Ala | Thr | Lys 335 | Ala |
| 251 252 253 | Ile | Lys | Pro | Ile 340 | Leu | Gly | Glu | Tyr | Tyr 345 | Gln | Phe | Asp | Gly | Thr 350 | Pro | Val |
| 254 255 256 | Val | Lys | Ala 355 | Met | Trp | Arg | Glu | Ala 360 | Lys | Glu | Cys | Ile | Туг 365 | Val | Glu | Pro |
| 257 258 | Asp | Arg 370 | Gln | Gly | Glu | Lys | Lys 375 | Gly | Val | Phe | Trp | Tyr 380 | Asn | Asn | Lys | Leu |

SEQUENCE VERIFICATION REPORT PATENT APPLICATION *US/08/572,027*

DATE: 02/13/96 TIME: 15:44:25

INPUT SET: S8732.raw

Line

Error

Original Text

27

Wrong application Serial Number

(A) APPLICATION NUMBER: US 08/416,497